Specification

Product Description	VACB-3006B
Product Code	JP Side Rail 18-480-20
	EU Side Rail 18-480-30
	US Side Rail 18-480-70
Trade Name	Operating Table VACB-3006B
Drive system	Electro-hydraulic System
Country of origin	Japan
Standard Accessories	Mizuho Original Pad, Hand Controller, Hand Console
Power Cord Options	To be selected according to country type

Technical Specifications

Main Material

Elevation Column(Cover)

Table Plate

Side Frame


Toermear opeameations			
Elevation Range	704mm~1060mm		
Trendelengburg	Head up 20°, Head down 20°		
Lateral Tilt	20°Left / Right		
Return to Level	Trendelenburg,Lateral Tilt		
Maximum Permissible load	Elevation / Table Top Slide 225kg (500lbs.)		
Maximum Permissible load	Articulations 135kg (300lbs.)		
Table Top Slide	Longitudinal Shift 710mm		
Table Top Slide	Lateral Shift 200mm		
Table Top Dimensions	500mm×2095mm		
Base Dimensions	486mm×1244mm		
Table Weights	385Kg		
Supply Voltage	100-240V(50/60Hz)		
Power Consumption	400VA		
Battery Power	24V		
Operating Voltage	24V		


Ambient Temperature	10-40°C
Relative Humidity	30-70%
Atmospheric Pressure	700-1060hPa


Longitudinal Shift


Operating Environment












Lowest Position

Highest Position




Outer Dimension Drawing

Carbon Fiber Stainless Steel

Stainless Steel

Stainless Steel





Hand Controller Operation

- Elevation
- Lateral Tilt Trendelenburg
- · Return to Level
- Brake
- · Power ON/OFF



EMERGO EUROPE Westervoortsedijk 60, 6827 AT Arnhem The Netherlands



2505-PDF-MC-EN/BR-001-2505



- •Prior to product use, carefully read and comprehend the contents of the user manual and product packaging
- •Inspect the product routinely and thoroughly, in addition to pre- and postoperative examinations.
- •For after-sale support, contact your local dealer/distributor.





MIZUHO Corporation

3-30-13 Hongo, Bunkyo-ku, Tokyo 113-0033, JAPAN

Phone +81-3-6627-1506

F a x +81-3-3815-1280

- * Under our policy, ongoing improvements and published specifications may be subject to change without prior notice.
- * All published CG photos and illustrations have been from images. ©MIZUHO 2025









VACB-3006B Floating Slide Imaging Table is one of the most advanced versatile of

surgical table.

VACB-3006B is designed to move similar to catheter tables. The smooth and stable movement allow operators to effortlessly

move the table top to its desire position. Slim column design of the table enhances C-arm access and provides

optimizing image with less radiation energy.



VACB-3006B Electromagnetic lock type floating mechanism enables OR staffs the opportunity to easily control the sliding speed and precisely slide the table in Multi-Direction with the Hand Console manually. Offering improvement in interventional stent placement and providing simple contrast agent tracking by sliding the table top.





Key features


- 100% Carbon fiber table top which has transparency of 1651mm
- Electromagnetic lock type floating technology for complete freedom of movement in any direction, allowing shorter procedure times
- Slim column design enhancing C-arm access
- Spacious Work Design

Flexible Patient Positioning and Improve Procedure Times

VACB-3006B Multi-Direction slides allows OR staffs to image a greater proportion of the patient without moving X-ray equipment or the patients.

It increase the efficiency during endovasuclar procedures.





Optional Accessories



Head Extension for VACB with Pad (320mm)

Radiolucent area is extended



Catheter Tray for Imaging Table with Clamp

Secure working space by the column side to extend 1000mm



IVR Armboard with Pad

Provide radiolucency for brachial artery catherization



Radiolucent Head Extension for VACB with Pad

Radiolucent through a full 360°



Side Rail Adaptor, Long for carbon fiber board Detachable Side Rail



Side Rail Adaptor, Short for carbon fiber board Detachable Side Rail (L:150mm)



Side Rail Adaptor II, Long for carbon fiber board Detachable Side Rail with removable knobs (L:350mm)



Side Rail Adaptor II, Short for carbon fiber board Detachable Side Rail

with a removable knob (L:150mm)



Left – Elevation / Middle – Trendelenburg / Right – Lateral tilt

F	Product Code	Product Description	
	08-042-05	Head Extension for VACB with Pad (320mm)	
1	08-042-05-R1	Head Extension for VACB with Pad (320mm)(R1)	
	08-042-05-R2	Head Extension for VACB with Pad (320mm)(R2)	
2	08-041-04	Catheter Tray for Imaging Table with Clamp	
	08-041-04-R1	Catheter Tray for Imaging Table with Clamp (R1)	
	08-041-04-R2	Catheter Tray for Imaging Table with Clamp (R2)	
3	08-065-72	65-72 IVR Armboard with Pad	
4	08-075-47	08-075-47 Radiolucent Head Extension for VACB with Pad	
	08-113-01	Side Rail adaptor, long for carbon fiber board	
(5)	08-113-01-R1	Side Rail Adaptor, Long for Carbon Fiber Board (R1)	
	08-113-01-R2	Side Rail Adaptor, Long for Carbon Fiber Board (R2)	



To prevent Hand Controller interference for efficient C-arm operation

Р	roduct Code	Product Description
	08-113-02	Side Rail adaptor, short for carbon fiber board
6	08-113-02-R1	Side Rail Adaptor, Short for Carbon Fiber Board (R1)
	08-113-02-R2	Side Rail Adaptor, Short for Carbon Fiber Board (R2)
	08-113-10	Side Rail Adaptor II, Long for Carbon Fiber Board
7	08-113-10-R1	Side Rail Adaptor II, Long for Carbon Fiber Board (R1)
	08-113-10-R2	Side Rail Adaptor II, Long for Carbon Fiber Board (R2)
	08-113-11	Side Rail Adaptor II, Short for Carbon Fiber Board
8	08-113-11-R1	Side Rail Adaptor II, Short for Carbon Fiber Board (R1)
	08-113-11-R2	Side Rail Adaptor II, Short for Carbon Fiber Board (R2)
9	18-443-20	Foot Switch TypeB
10	08-041-20	Extensiton Cable for VACB Hand Controller

*(R1)=US Side Rail, (R2)=EU Side Rail, Original Item is JP side rail